

## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Issue date: 16/04/2025 Revision date: 16/04/2025 Supersedes version of: 11/09/202

Supersedes version of: 11/09/2024

Version: 2.0

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Mixture

Trade name CS-F JS / CF 812 CC FR7Q-KYPC-SQNN-W8VV

Swiss CPID No 822360-19

Product code **BU Fire Protection Foam** Type of product PU installation foams

Vaporizer Aerosol

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category Professional use Industrial/Professional use spec For professional use only Use of the substance/mixture PU installation foams

## 1.2.2. Uses advised against

No additional information available

#### 1.3. Details of the supplier of the safety data sheet

Supplier Department issuing data specification sheet

Hilti (Schweiz) AG

Feldkircherstraße 100 Soodstrasse 61 CH 8134 Adliswil FL 9494 Schaan Liechtenstein Schweiz T +41 844 84 84 85, F +41 844 84 84 86 T +423 234 2111

info@hilti.ch product.compliance-fire.protection@hilti.com

## 1.4. Emergency telephone number

Emergency number Emergency CONTACT (24-Hour-Number):

GBK GmbH Global Regulatory Compliance

+49 (0)6132-84463

## **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

H222;H229 Aerosol, Category 1 Skin corrosion/irritation, Category 2 H315 Serious eye damage/eye irritation, Category 2 H319 H334 Respiratory sensitisation, Category 1 H317 Skin sensitisation, Category 1 Carcinogenicity, Category 2 H351 Specific target organ toxicity - Single exposure, Category 3, Respiratory H335 tract irritation

Specific target organ toxicity - Repeated exposure, Category 2 H373

Full text of H- and EUH-statements: see section 16

#### Adverse physicochemical, human health and environmental effects

No additional information available



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS02

GHS07

GHS08

Signal word (CLP) Contains

Hazard statements (CLP)

Danger

4,4'-diphenylmethanediisocyanate, isomeres and homologues

H222 - Extremely flammable aerosol.

H229 - Pressurised container: May burst if heated.

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 - May cause respiratory irritation. H351 - Suspected of causing cancer.

H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary statements (CLP) P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

No smoking.

P211 - Do not spray on an open flame or other ignition source.

P251 - Do not pierce or burn, even after use.

P260 - Do not breathe spray.

Extra phrases As from 24 August 2023 adequate training is required before industrial or professional use.

## 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component	
4,4'-diphenylmethanediisocyanate, isomeres and homologues (9016-87-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Dimethyl ether (115-10-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
propane (74-98-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
isobutane (75-28-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII
Reaction products of phosphoryl trichloride and 2-methyloxirane (1244733-77-4)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component	
	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Component	
Reaction products of phosphoryl trichloride and 2-methyloxirane (1244733-77-4)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
Dimethyl ether (115-10-6)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
isobutane (75-28-5)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605
propane (74-98-6)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

## **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

## 3.2. Mixtures

3.2. Mixtures				
Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	
4,4'-diphenylmethanediisocyanate, isomeres and homologues	CAS-No.: 9016-87-9 EC-No.: 618-498-9	25 – 60	Acute Tox. 4 (Inhalation), H332 (ATE=1.5 mg/l/4h) Skin Irrit. 2, H315 Eye Irrit. 2, H319 Resp. Sens. 1, H334 Skin Sens. 1, H317 Carc. 2, H351 STOT SE 3, H335 STOT RE 2, H373	
Reaction products of phosphoryl trichloride and 2-methyloxirane	CAS-No.: 1244733-77-4 EC-No.: 807-935-0 REACH-no: 01-2119486772- 26	10 – 25	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Carc. 2, H351 Aquatic Chronic 3, H412	
Dimethyl ether (Propellant gas (Aerosol))	CAS-No.: 115-10-6 EC-No.: 204-065-8 EC Index-No.: 603-019-00-8 REACH-no: 01-2119472128- 37	5 – 10	Flam. Gas 1A, H220 Press. Gas (Comp.), H280	
isobutane (Propellant gas (Aerosol))	CAS-No.: 75-28-5 EC-No.: 200-857-2 EC Index-No.: 601-004-00-0 REACH-no: 01-2119485395- 27	5 – 10	Flam. Gas 1A, H220 Press. Gas (Comp.), H280	



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
propane	CAS-No.: 74-98-6	1 – 5	Flam. Gas 1A, H220
(Propellant gas (Aerosol))	EC-No.: 200-827-9		Press. Gas (Liq.), H280
	EC Index-No.: 601-003-00-5		
	REACH-no: 01-2119486944-		
	21		

Specific concentration limits:				
Name	Product identifier	Specific concentration limits		
4,4'-diphenylmethanediisocyanate, isomeres and homologues	CAS-No.: 9016-87-9 EC-No.: 618-498-9	(0.1 ≤ C < 100) Resp. Sens. 1, H334 (5 ≤ C < 100) Skin Irrit. 2, H315 (5 ≤ C < 100) Eye Irrit. 2, H319 (5 ≤ C < 100) STOT SE 3, H335		

Product subject to CLP Annex I, item 1.1.3.7. The disclosure rules of the components is modified in this case.

Full text of H- and EUH-statements: see section 16

## **SECTION 4: First aid measures**

4 1	Г	Descri	ntion	of	firet	aid	measures
<b></b> .		Jestii	DUUII	U	III ƏL	aıu	IIIcasul cs

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing. Call a poison center or a

doctor if you feel unwell.

First-aid measures after skin contact Wash skin with plenty of water. Take off contaminated clothing. If skin irritation or rash

occurs: Get medical advice/attention. Wash contaminated clothing before reuse.

First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation Danger of serious damage to health by prolonged exposure through inhalation. May cause

allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin

reaction. May cause respiratory irritation.

Symptoms/effects after skin contact Causes skin irritation.

Symptoms/effects after eye contact Causes serious eye irritation.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

## **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media Do not use a heavy water stream.

### 5.2. Special hazards arising from the substance or mixture

Fire hazard Extremely flammable aerosol.

Explosion hazard Pressurised container: May burst if heated.

Hazardous decomposition products in case of fire Toxic fumes may be released. Vapours may form explosive mixture with air.

#### 5.3. Advice for firefighters

Firefighting instructions

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

16/04/2025 (Version: 2.0) CH - en 4/17



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment Equip cleanup crew with proper protection.

Emergency procedures Ventilate area.

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

Other information Dispose of materials or solid residues at an authorized site. After curing, the product can be

disposed of with household waste.

#### 6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Precautions for safe handling Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment. Do not breathe spray. Use only outdoors or in a well-ventilated area. Avoid contact with skin and eyes. May form flammable/explosive vapour-air mixture. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour. Avoid breathing

dust/fume/gas/mist/vapours/spray.

Hygiene measures Wash hands, forearms and face thoroughly after handling. Contaminated work clothing

should not be allowed out of the workplace. Wash contaminated clothing before reuse.

#### 7.2. Conditions for safe storage, including any incompatibilities

Technical measures The EKAS guidelines must be taken into account.

Storage conditions Keep only in the original container in a cool, well ventilated place away from : Keep

container tightly closed.

Incompatible products Strong bases. Strong acids.
Incompatible materials Sources of ignition. Direct sunlight.

Storage temperature 5-25 °C

Heat and ignition sources Keep away from heat and direct sunlight. Keep away from ignition sources.

## 7.3. Specific end use(s)

No additional information available

## SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

## 8.1.1. National occupational exposure and biological limit values



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

4,4'-diphenylmethanediisocyanate, isomeres and h	omologues (9016-87-9)			
Switzerland - Occupational Exposure Limits				
Local name	4,4'-Diisocyanate de diphénylméthane / Diphenylmethan-4,4'-diisocyanat			
Notation	R, SSc, B/H, SSc, B			
Regulatory reference	www.suva.ch, 01.01.2023			
Dimethyl ether (115-10-6)				
EU - Indicative Occupational Exposure Limit (IOEL)				
Local name	Dimethylether			
IOEL TWA	1920 mg/m³			
	1000 ppm			
Regulatory reference	COMMISSION DIRECTIVE 2000/39/EC			
Switzerland - Occupational Exposure Limits				
Local name	Ether diméthylique / Dimethylether			
MAK (OEL TWA)	1910 mg/m³			
	1000 ppm			
Critical toxicity	Formel / Formal			
Regulatory reference	www.suva.ch, 01.01.2023			
propane (74-98-6)				
Switzerland - Occupational Exposure Limits				
Local name	Propane / Propan			
MAK (OEL TWA)	1800 mg/m³			
	1000 ppm			
KZGW (OEL STEL)	7200 mg/m³			
	4000 ppm			
Critical toxicity	Formel / Formal			
Remark	NIOSH			
Regulatory reference	www.suva.ch, 01.01.2023			
isobutane (75-28-5)				
Switzerland - Occupational Exposure Limits				
Local name	iso-Butane / iso-Butan			
MAK (OEL TWA)	1900 mg/m³			
	800 ppm			
KZGW (OEL STEL)	7600 mg/m³			
	3200 ppm			
Critical toxicity	SNC / ZNS			
Regulatory reference	www.suva.ch, 01.01.2023			
	1			



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

#### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

#### 8.2. Exposure controls

#### 8.2.1. Appropriate engineering controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

#### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Protective clothing. Safety glasses. Gloves. Avoid all unnecessary exposure.

#### Personal protective equipment symbol(s):







#### 8.2.2.1. Eye and face protection

### Eye protection:

Chemical goggles or safety glasses

#### 8.2.2.2. Skin protection

#### Skin and body protection:

Wear suitable protective clothing

## Hand protection:

Wear suitable gloves tested to EN374. Suitable for short-term work or as a splash guard:

Nitrile rubber gloves (> 0.1 mm). In case of permanent product contact:

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	>0,35mm		
Disposable gloves	Butyl rubber	6 (> 480 minutes)	>0,35mm		

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

Not necessary with sufficient ventilation. Ensure good ventilation of the work station. Open windows during application to ensure natural ventilation. If the occupational exposure limit is exceeded: Wear appropriate mask. (e.g. gas filter type A1-P2 according to EN 14387)

### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

### **Environmental exposure controls:**

Avoid release to the environment.



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### Other information:

Do not eat, drink or smoke during use.

As from 24 August 2023 adequate training is required before industrial or professional use, www.feica.eu/PUinfo



## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state Liquid Colour white. **Appearance** Aerosol. Odour characteristic. Odour threshold Not available Not available Melting point Freezing point Not available Boiling point Not available Flammability Non flammable. Lower explosion limit Not available Upper explosion limit Not available Not applicable Flash point Auto-ignition temperature Not available Not available Decomposition temperature Not available Not available Viscosity, kinematic Solubility Not available Partition coefficient n-octanol/water (Log Kow) Not available Vapour pressure Not available Vapour pressure at 50°C Not available Density 1.018 g/cm<sup>3</sup> Relative density 1.018 Relative vapour density at 20°C Not available Particle characteristics Not applicable

### 9.2. Other information

## 9.2.1. Information with regard to physical hazard classes

% of flammable ingredients 25 %

9.2.2. Other safety characteristics

VOC content < 4 g/l EPA method 24

## **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Extremely flammable aerosol. Pressurised container: May burst if heated.

#### 10.2. Chemical stability

Not established.



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

### 10.5. Incompatible materials

Strong acids. Strong bases.

## 10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

## **SECTION 11: Toxicological information**

## 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)

Acute toxicity (dermal)

Not classified.

Not classified

Acute toxicity (definal) Acute toxicity (inhalation)	Not classified		
4,4'-diphenylmethanediisocyanate, isom	eres and homologues (9016-87-9)		
LD50 oral rat	> 10000 mg/kg (Rat, Literature study, Oral)		
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Literature study, Dermal)		
LD50 dermal	9400 mg/kg		
LC50 Inhalation - Rat	0.49 mg/l		
propane (74-98-6)			
LC50 Inhalation - Rat [ppm]	> 800000 ppm (15 minutes, Rat, Male / female, Experimental value, Inhalation (gases))		
isobutane (75-28-5)			
LC50 Inhalation - Rat [ppm]	> 800000 ppm (15 minutes, Rat, Male / female, Experimental value, Inhalation (gases))		
Skin corrosion/irritation	Causes skin irritation.		
Serious eye damage/irritation	Causes serious eye irritation.		
Respiratory or skin sensitisation	May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.		
Germ cell mutagenicity	Not classified		
Carcinogenicity	Suspected of causing cancer.		
4,4'-diphenylmethanediisocyanate, isom	eres and homologues (9016-87-9)		
IARC group	3 - Not classifiable		
Reproductive toxicity	Not classified		
STOT-single exposure	May cause respiratory irritation.		
4,4'-diphenylmethanediisocyanate, isomeres and homologues (9016-87-9)			

Reproductive toxicity	Not classified			
STOT-single exposure	May cause respiratory irritation.			
4,4'-diphenylmethanediisocyanate, isomeres and homologues (9016-87-9)				
STOT-single exposure	May cause respiratory irritation.			
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.			
4,4'-diphenylmethanediisocyanate, isomeres and homologues (9016-87-9)				
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.			
Aspiration hazard	Not classified			
CS-F JS / CF 812 CC				
Vaporizer	Aerosol			



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 11.2. Information on other hazards

No additional information available

## **SECTION 12: Ecological information**

### 12.1. Toxicity

Hazardous to the aquatic environment, short-term Not classified

(acute)

Hazardous to the aquatic environment, long-term Not classified

(chronic)

4,4'-diphenylmethanediisocyanate, isomeres and homologues (9016-87-9)				
LC50 - Other aquatic organisms [1] > 1000 mg/l (96 h, Literature study)				
Dimethyl ether (115-10-6)				
LC50 - Fish [1]	> 4100 mg/l (NEN 6504: Water - Determination of toxicity with Poecilia reticulata, 96 h, Poecilia reticulata, Semi-static system, Fresh water, Experimental value, Lethal)			
EC50 - Crustacea [1]	> 4400 mg/l (NEN 6501: Water - Determination of toxicity with Daphnia magna, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Lethal)			
EC50 96h - Algae [1]	154.9 mg/l (ECOSAR v1.00, Algae, QSAR, Estimated value)			
propane (74-98-6)				
EC50 96h - Algae [1]	12 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR)			
isobutane (75-28-5)				
EC50 96h - Algae [1]	8.57 mg/l (ECOSAR v1.00, Algae, Fresh water, QSAR)			

## 12.2. Persistence and degradability

4,4'-diphenylmethanediisocyanate, isomeres and homologues (9016-87-9)			
Persistence and degradability  Not readily biodegradable in water.			
Dimethyl ether (115-10-6)			
Persistence and degradability  Non degradable in the soil. Not readily biodegradable in water.			
propane (74-98-6)			
Persistence and degradability Readily biodegradable in water.			
isobutane (75-28-5)			
Persistence and degradability Readily biodegradable in water.			

## 12.3. Bioaccumulative potential

4,4'-diphenylmethanediisocyanate, isomeres and homologues (9016-87-9)		
BCF - Fish [1] 268.1 l/kg (BCFBAF v3.01, Estimated value, Fresh weight)		
Partition coefficient n-octanol/water (Log Pow) 10.46 (Calculated, KOWWIN)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).	
Dimethyl ether (115-10-6)		
Partition coefficient n-octanol/water (Log Pow)	0.1 (Experimental value)	
Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).		



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

propane (74-98-6)		
Partition coefficient n-octanol/water (Log Pow)	1.1 – 2.8 (Experimental value, 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
isobutane (75-28-5)		
Partition coefficient n-octanol/water (Log Pow)	1.09 – 2.8 (Experimental value, 20 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	

## 12.4. Mobility in soil

4,4'-diphenylmethanediisocyanate, isomeres and homologues (9016-87-9)		
Surface tension	No data available in the literature	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	9.078 – 10.597 (log Koc, SRC PCKOCWIN v2.0, Calculated value)	
Ecology - soil	Adsorbs into the soil.	
Dimethyl ether (115-10-6)		
Surface tension	No data available in the literature	
Ecology - soil	Not applicable (gas).	
propane (74-98-6)		
Surface tension	No data available in the literature	
Ecology - soil	Not applicable (gas).	
isobutane (75-28-5)		
Surface tension	No data available in the literature	
Ecology - soil	Not applicable (gas).	

## 12.5. Results of PBT and vPvB assessment

No additional information available

#### 12.6. Endocrine disrupting properties

No additional information available

### 12.7. Other adverse effects

No additional information available

## **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Waste treatment methods

Product/Packaging disposal recommendations

Dispose of contents/container in accordance with licensed collector's sorting instructions. Dispose in a safe manner in accordance with local/national regulations. Dispose of contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation.

Ecological information Avoid release to the environment. European List of Waste (LoW, EC 2000/532) 08 04 09\* - waste adhesives and s

 $08\ 04\ 09^{\star}$  - waste adhesives and sealants containing organic solvents or other dangerous

substances

08 05 01\* - waste isocyanates



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

**HP Code** 

HP3 - "Flammable:"

- flammable liquid waste: liquid waste having a flash point below 60 °C or waste gas oil, diesel and light heating oils having a flash point > 55 °C and ≤ 75 °C;
- flammable pyrophoric liquid and solid waste: solid or liquid waste which, even in small quantities, is liable to ignite within five minutes after coming into contact with air;
- flammable solid waste: solid waste which is readily combustible or may cause or contribute to fire through friction;
- flammable gaseous waste: gaseous waste which is flammable in air at 20 °C and a standard pressure of 101.3 kPa;
- water reactive waste: waste which, in contact with water, emits flammable gases in dangerous quantities;
- other flammable waste: flammable aerosols, flammable self-heating waste, flammable organic peroxides and flammable self-reactive waste.
- HP5 "Specific Target Organ Toxicity (STOT)/Aspiration Toxicity:" waste which can cause specific target organ toxicity either from a single or repeated exposure, or which cause acute toxic effects following aspiration.
- HP6 "Acute Toxicity:" waste which can cause acute toxic effects following oral or dermal administration, or inhalation exposure.
- HP7 "Carcinogenic:" waste which induces cancer or increases its incidence
- HP4 "Irritant skin irritation and eye damage:" waste which on application can cause skin irritation or damage to the eye.
- HP13 "Sensitising:" waste which contains one or more substances known to cause sensitising effects to the skin or the respiratory organs.

## **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / ADN / RID

IMDG	IATA	ADN	RID
ber			
UN 1950	UN 1950	UN 1950	UN 1950
ame			
AEROSOLS	Aerosols, flammable	AEROSOLS	AEROSOLS
ption			
UN 1950 AEROSOLS, 2.1	UN 1950 Aerosols, flammable, 2.1	UN 1950 AEROSOLS, 2.1	UN 1950 AEROSOLS, 2.1
s(es)			
2.1	2.1	2.1	2.1
***	2	2	***
l.			
Not applicable	Not applicable	Not applicable	Not applicable
ls			
Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No	Dangerous for the environment: No
i	Deer  UN 1950  AEROSOLS  ption  UN 1950 AEROSOLS, 2.1  s(es)  2.1  Not applicable  s  Dangerous for the	Deer  UN 1950 UN 1950  AEROSOLS Aerosols, flammable  ption  UN 1950 AEROSOLS, 2.1 UN 1950 Aerosols, flammable, 2.1  s(es)  2.1 2.1  Not applicable  Not applicable  S  Dangerous for the  Dangerous for the	Deer  UN 1950 UN 1950 UN 1950 UN 1950  AEROSOLS Aerosols, flammable  UN 1950 AEROSOLS, 2.1 UN 1950 AEROSOLS, 2.1 UN 1950 AEROSOLS, 2.1 Sees)  2.1 2.1 2.1 2.1  Not applicable Not applicable Not applicable  Dangerous for the Dangerous for the Dangerous for the



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 14.6. Special precautions for user

## Overland transport

Classification code (ADR) 5F

Special provisions (ADR) 190, 327, 344, 625

Limited quantities (ADR) 11

Packing instructions (ADR) P207, LP02
Mixed packing provisions (ADR) MP9
Transport category (ADR) 2
Tunnel restriction code (ADR) D

#### Transport by sea

Special provisions (IMDG) 63, 190, 277, 327, 344, 959

Limited quantities (IMDG)SP277Packing instructions (IMDG)P207, LP02EmS-No. (Fire)F-DEmS-No. (Spillage)S-U

Stowage category (IMDG)

MFAG-No

126

#### Air transport

PCA packing instructions (IATA) 203
PCA max net quantity (IATA) 75kg
CAO packing instructions (IATA) 203

Special provisions (IATA) A145, A167, A802

## Inland waterway transport

Classification code (ADN) 5F

Special provisions (ADN) 19, 327, 344, 625

Limited quantities (ADN) 1 L

Excepted quantities (ADN) E0

Equipment required (ADN) PP, EX, A

Ventilation (ADN) VE01, VE04

Number of blue cones/lights (ADN) 1

## Rail transport

Special provisions (RID) 190, 327, 344, 625

Limited quantities (RID) 1L
Packing instructions (RID) P207, LP02

## 14.7. Maritime transport in bulk according to IMO instruments

Not applicable



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

## **SECTION 15: Regulatory information**

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### 15.1.1. EU-Regulations

Other information, restriction and prohibition regulations

Jugendarbeitsschutzverordnung (ArGV, SR 822.115):

Jugendliche bis zum vollendeten 18. Altersjahr dürfen bei ihrer Arbeit nur dann mit dieser Zubereitung in Kontakt kommen oder dieser ausgesetzt werden, sofern das Bundesamt für Berufsbildung und Technologie (BBT) oder das Staatssekretariat für Wirtschaft (SECO) eine Ausnahme bewilligt hat. Artikel 13 Mutterschutzverordnung (SR 822.111.52):

Schwangere Frauen und stillende Mütter dürfen bei ihrer Arbeit nur dann mit dieser Zubereitung in Kontakt kommen oder dieser ausgesetzt werden, wenn auf Grund einer Risikobeurteilung durch eine Fachperson feststeht, dass im Kontext mit den Tätigkeiten und den getroffenen Schutzmassnahmen die Exposition zu keinen Schädigungen für Mutter und Kind führt.

#### **REACH Annex XVII (Restriction List)**

EU restriction list (REACH Annex XVII)		
Reference code	Applicable on	
74.	4,4'-diphenylmethanediisocyanate, isomeres and homologues	

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains no substance(s) listed on the REACH Candidate List

### PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

### VOC Directive (2004/42)

VOC content < 4 g/l EPA method 24

#### **Explosives Precursors Regulation (2019/1148)**

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

### **Drug Precursors Regulation (273/2004)**

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

#### 15.1.2. National regulations

#### Switzerland

Swiss National Regulations

Article 4, subparagraph 4 Order on the protection of young workers (OLT 5, RS 822.115) and Article 1, letter f Order of the DEFR on dangerous works for young workers (822.115.2): Young workers undergoing initial professional training cannot work with this product (this substance/this preparation) except where envisaged in the order of professional training to achieve the training purposes and if the training plan conditions and applicable age limits are respected. Young workers who do not undergo initial professional training cannot work with this product (this substance/this preparation). Workers of either sex aged under 18 years old are considered as young.

Artikel 13 Mutterschutzverordnung (SR 822.111.52):

Schwangere Frauen und stillende Mütter dürfen bei ihrer Arbeit nur dann mit dieser Zubereitung in Kontakt kommen oder dieser ausgesetzt werden, wenn auf Grund einer Risikobeurteilung durch eine Fachperson feststeht, dass im Kontext mit den Tätigkeiten und den getroffenen Schutzmassnahmen die Exposition zu keinen Schädigungen für Mutter und Kind führt.

Storage class (LK) Swiss CPID No LK 2 - Liquefied or pressurized gases

822360-19

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

### **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
			general update
3		Modified	

Abbreviations and acronyms:			
CAS-No.	Chemical Abstract Service number		
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways		
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road		
ATE	Acute Toxicity Estimate		
BCF	Bioconcentration factor		
BLV	Biological limit value		
BOD	Biochemical oxygen demand (BOD)		
CLP	Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008		
DMEL	Derived Minimal Effect level		
DNEL	Derived-No Effect Level		
EC-No.	European Community number		
EC50	Median effective concentration		
ED	Endocrine disrupting properties		



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Abbreviations and acronyms:			
EN	European Standard		
IARC	International Agency for Research on Cancer		
IATA	International Air Transport Association		
IMDG	International Maritime Dangerous Goods		
IOELV	Indicative Occupational Exposure Limit Value		
LC50	Median lethal concentration		
LD50	Median lethal dose		
LOAEL	Lowest Observed Adverse Effect Level		
N.O.S.	Not Otherwise Specified		
NOAEC	No-Observed Adverse Effect Concentration		
NOAEL	No-Observed Adverse Effect Level		
NOEC	No-Observed Effect Concentration		
vPvB	Very Persistent and Very Bioaccumulative		
WGK	Water Hazard Class		
VOC	Volatile Organic Compounds		
SDS	Safety Data Sheet		
RID	Regulations concerning the International Carriage of Dangerous Goods by Rail		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006		
PNEC	Predicted No-Effect Concentration		
PBT	Persistent Bioaccumulative Toxic		
OEL	Occupational Exposure Limit		
OECD	Organisation for Economic Co-operation and Development		
COD	Chemical oxygen demand (COD)		
ThOD	Theoretical oxygen demand (ThOD)		
TRGS	Technical Rules for Hazardous Substances		
TLM	Median Tolerance Limit		
STP	Sewage treatment plant		

Full text of H- and EUH-statements:		
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4	
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aerosol 1	Aerosol, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
Carc. 2	Carcinogenicity, Category 2	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Flam. Gas 1A	Flammable gases, Category 1A	



## Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:			
H220	Extremely flammable gas.		
H222	Extremely flammable aerosol.		
H229	Pressurised container: May burst if heated.		
H280	Contains gas under pressure; may explode if heated.		
H302	Harmful if swallowed.		
H315	Causes skin irritation.		
H317	May cause an allergic skin reaction.		
H319	Causes serious eye irritation.		
H332	Harmful if inhaled.		
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.		
H335	May cause respiratory irritation.		
H351	Suspected of causing cancer.		
H373	May cause damage to organs through prolonged or repeated exposure.		
H412	Harmful to aquatic life with long lasting effects.		
Press. Gas (Comp.)	Gases under pressure : Compressed gas		
Press. Gas (Liq.)	Gases under pressure : Liquefied gas		
Resp. Sens. 1	Respiratory sensitisation, Category 1		
Skin Irrit. 2	Skin corrosion/irritation, Category 2		
Skin Sens. 1	Skin sensitisation, Category 1		
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2		
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation		

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Aerosol 1	H222;H229	On basis of test data	
Skin Irrit. 2	H315	Calculation method	
Eye Irrit. 2	H319	Calculation method	
Resp. Sens. 1	H334	Calculation method	
Skin Sens. 1	H317	Calculation method	
Carc. 2	H351	Calculation method	
STOT SE 3	H335	Calculation method	
STOT RE 2	H373	Calculation method	

## SDS\_EU\_Hilti

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.