

# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878 Issue date: 20.10.2025 Revision date: 20.10.2025 Supersedes version of: 23.02.2022

Version: 6.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product form Mixture
Trade name CFS-SP WB
Swiss CPID No 360673-17
Product code BU Fire Protection
Type of product Sealants

Sealants

Product group Trade product

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Industrial/Professional use spec For professional use only Use of the substance/mixture Flexible joint spray

1.2.2. Uses advised against

Restrictions on use For professional use only

# 1.3. Details of the supplier of the safety data sheet

# Supplier

 Hilti (Switzerland) Ltd.
 Hilti AG

 Kalchbühlstrasse 22
 Feldkircherstraße 100

 CH 8038 Zurich
 FL 9494 Schaan

 Switzerland
 Liechtenstein

 T +41 844 84 84 85, F +41 844 84 86
 T +423 234 2111

info@hilti.ch product.compliance-fire.protection@hilti.com

#### 1.4. Emergency telephone number

Emergency number Emergency CONTACT (24-Hour-Number):

GBK GmbH Global Regulatory Compliance

Department issuing data specification sheet

+49 (0)6132-84463

## **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### Classification according to Regulation (EC) No. 1272/2008 [CLP]

Hazardous to the aquatic environment – Chronic Hazard, Category 3 H412

Full text of H- and EUH-statements: see section 16

## Adverse physicochemical, human health and environmental effects

No additional information available



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

### 2.2. Label elements

#### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Signal word (CLP)

Hazard statements (CLP) H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements (CLP) P273 - Avoid release to the environment.

EUH-statements EUH208 - Contains 2-octyl-2H-isothiazol-3-one, Mixture of 5-chloro-2-methylisothiazol-

3(2H)-one and 2-methylisothiazol-3(2H)-one, 1,2-Benzisothiazol-3(2H)-on. May produce an

allergic reaction.

### 2.3. Other hazards

Contains no PBT and/or vPvB substances ≥ 0.1% assessed in accordance with REACH Annex XIII

Component			
aluminium hydroxide (21645-51-2)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
2-octyl-2H-isothiazol-3-one (26530-20-1)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
pyrithione zinc (13463-41-7)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
hexaboron dizinc undecaoxide, heptahydrate (138265-88-0)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
1,2-Benzisothiazol-3(2H)-on (2634-33-5)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		
Ammonia, aqueous solution (25%) (1336-21-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII This substance/mixture does not meet the vPvB criteria of REACH regulation, annex XIII		

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or substance(s) are not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

Component			
aluminium hydroxide (21645-51-2)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605		
hexaboron dizinc undecaoxide, heptahydrate (138265-88-0)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605		
Ammonia, aqueous solution (25%) (1336-21-6)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605		
1,2-Benzisothiazol-3(2H)-on (2634-33-5)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605		



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Component			
pyrithione zinc (13463-41-7)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605		
2-octyl-2H-isothiazol-3-one (26530-20-1)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605		
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)	The substance is not included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605		

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

# 3.2. Mixtures

Name	Product identifier	Conc.	Classification according to Regulation (EC) No. 1272/2008 [CLP]
aluminium hydroxide substance with national workplace exposure limit(s) (CH)	CAS-No.: 21645-51-2 EC-No.: 244-492-7 REACH-no: 01-2119529246- 39	< 10	Not classified
hexaboron dizinc undecaoxide, heptahydrate	CAS-No.: 138265-88-0 EC-No.: 235-804-2	1 – 2.5	Repr. 2, H361d Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Ammonia, aqueous solution (25%)	CAS-No.: 1336-21-6 EC-No.: 215-647-6 EC Index-No.: 007-001-01-2 REACH-no: 01-2119982985- 14	0.1 – 1	Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 Aquatic Acute 1, H400
1,2-Benzisothiazol-3(2H)-on	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540- 60	<0.015	Acute Tox. 4 (Oral), H302 (ATE=490 mg/kg bodyweight) Acute Tox. 2 (Inhalation:dust,mist), H330 (ATE=0.05 mg/l/4h) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410



# Safety Data Sheet

Name	Product identifier	Conc.	Classification according to Regulation (EC) No. 1272/2008 [CLP]
pyrithione zinc	CAS-No.: 13463-41-7 EC-No.: 236-671-3 EC Index-No.: 613-333-00-7 REACH-no: 01-2119511196- 46	<0.002	Repr. 1B, H360D Acute Tox. 2 (Inhalation:dust,mist), H330 (ATE=0.14 mg/l) Acute Tox. 3 (Oral), H301 (ATE=221 mg/kg bodyweight) STOT RE 1, H372 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1000) Aquatic Chronic 1, H410 (M=10)
2-octyl-2H-isothiazol-3-one substance with national workplace exposure limit(s) (CH)	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5	<0.0015	Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 2 (Inhalation), H330 (ATE=0.05 mg/l/4h) Skin Corr. 1, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one substance with national workplace exposure limit(s) (CH)	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	<0.0015	Acute Tox. 3 (Oral), H301 (ATE=66 mg/kg bodyweight) Acute Tox. 2 (Dermal), H310 (ATE=50 mg/kg bodyweight) Acute Tox. 2 (Inhalation), H330 (ATE=0.05 mg/l/4h) Acute Tox. 2 (Inhalation:dust,mist), H330 (ATE=0.05 mg/l/4h) Skin Corr. 1C, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=100) Aquatic Chronic 1, H410 (M=100) EUH071

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
Ammonia, aqueous solution (25%)	CAS-No.: 1336-21-6 EC-No.: 215-647-6 EC Index-No.: 007-001-01-2 REACH-no: 01-2119982985-	(5 ≤ C ≤ 100) STOT SE 3; H335	
1,2-Benzisothiazol-3(2H)-on	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540-	(0.036 ≤ C ≤ 100) Skin Sens. 1; H317	
2-octyl-2H-isothiazol-3-one	CAS-No.: 26530-20-1 EC-No.: 247-761-7 EC Index-No.: 613-112-00-5	(0.0015 ≤ C ≤ 100) Skin Sens. 1A; H317	



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Specific concentration limits:			
Name	Product identifier	Specific concentration limits	
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one	CAS-No.: 55965-84-9 EC Index-No.: 613-167-00-5	$(0.0015 \le C \le 100)$ Skin Sens. 1A; H317 $(0.06 \le C < 0.6)$ Skin Irrit. 2; H315 $(0.06 \le C < 0.6)$ Eye Irrit. 2; H319 $(0.6 \le C \le 100)$ Skin Corr. 1C; H314 $(0.6 \le C \le 100)$ Eye Dam. 1; H318	

Full text of H- and EUH-statements: see section 16

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation Allow affected person to breathe fresh air. Allow the victim to rest.

First-aid measures after skin contact Wash skin with plenty of water. If skin irritation occurs: Get medical advice/attention.

Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse.

First-aid measures after eye contact Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy

to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion Rinse mouth. Do NOT induce vomiting. Get medical advice/attention if you feel unwell.

# 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects Not expected to present a significant hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

### **SECTION 5: Firefighting measures**

## 5.1. Extinguishing media

Suitable extinguishing media Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products in case of fire Carbon dioxide. Carbon monoxide.

## 5.3. Advice for firefighters

Firefighting instructions

Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting Self-contained breathing apparatus. Complete protective clothing. Do not enter fire area

without proper protective equipment, including respiratory protection.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment For further information refer to section 8: "Exposure controls/personal protection". Equip

cleanup crew with proper protection.

Emergency procedures Ventilate area.

20.10.2025 (Version: 6.1) CH - en 5/18



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

## 6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up Collect spillage.

#### 6.4. Reference to other sections

For further information refer to section 13. See Section 8. Exposure controls and personal protection.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Precautions for safe handling Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour.

Hygiene measures Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this

product. Always wash hands after handling the product.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products Strong bases. Strong acids.
Incompatible materials Sources of ignition. Direct sunlight.

Storage temperature 5-25 °C

# 7.3. Specific end use(s)

No additional information available

# **SECTION 8: Exposure controls/personal protection**

#### 8.1. Control parameters

Additional information The product has a pasty consistency. Exposure limit values for respirable dusts are not

relevant for this product.

### 8.1.1. National occupational exposure and biological limit values

aluminium hydroxide (21645-51-2)			
Switzerland - Occupational Exposure Limits			
Local name	Aluminium hydroxyde / Aluminiumhydroxid		
MAK (OEL TWA)	3 mg/m³ (a) / (a)		
Critical toxicity	Formel / Formal		
Notation	В/В		
Remark	NIOSH		
Regulatory reference	www.suva.ch, 01.01.2023		
Switzerland - BAT			
Local name	Aluminium hydroxyde / Aluminiumhydroxid		
BAT	50 μg/g creatinine (0.21 μmol/mmol cr.; Paramètre biologique: Aluminium; Substrat d'examen: Urine; Moment du prélèvement: Exposition de longue durée: après plusieurs périodes de travail.) / (0.21 μmol/mmol cr.; Biologischer Parameter: Aluminium; Untersuchungsmaterial: Urin; Probennahmezeitpunkt: Bei Langzeitexposition: nach mehreren vorangegangenen Schichten.)		



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

aluminium hydroxide (21645-51-2)		
Regulatory reference	Ordonnance 832.30 (OPA), article 50 al. 3, www.suva.ch/valeurs-limites / Verordnung 832.30 (VUV), Art. 50 Abs. 3, www.suva.ch/grenzwerte	
2-octyl-2H-isothiazol-3-one (26530-20	D-1)	
Switzerland - Occupational Exposure	Limits	
Local name	2-n-Octyle-2,3-dihydroisothiazole-3-one	
MAK (OEL TWA)	0.05 mg/m³	
KZGW (OEL STEL)	0.1 mg/m³	
Remark	4x15	
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one (55965-84-9)		
Switzerland - Occupational Exposure Limits		
Local name	2,3-Dihydro-isothiazol-3-one de 5-chloro-2-méthyle et 2,3-dihydro-isothiazol-3-one de 2-méthyle [2,3-Dihydro-isothiazol-3-one de 5-chloro-2-méthyle, 2,3-Dihydro-isothiazol-3-one de 2-méthyle] / 5-Chlor-2-methyl-2,3-dihydro-isothiazol-3-on und 2-Methyl-2,3-dihydroisothiazol-3-on [2-Methyl-2,3-dihydroisothiazol-3-on, 5-Chlor-2-methyl-2,3-dihydroisothiazol-3-on]	
MAK (OEL TWA)	0.2 mg/m³ (i) / (e)	
KZGW (OEL STEL)	0.4 mg/m³ (i) / (e)	
Critical toxicity	VRS, Peau, Yeux / OAW, Haut, Auge	
Notation	S, SS <sub>C</sub> / S, SS <sub>C</sub>	
Regulatory reference	www.suva.ch, 01.01.2023	

#### 8.1.2. Recommended monitoring procedures

No additional information available

#### 8.1.3. Air contaminants formed

No additional information available

### 8.1.4. DNEL and PNEC

No additional information available

#### 8.1.5. Control banding

No additional information available

# 8.2. Exposure controls

### 8.2.1. Appropriate engineering controls

No additional information available

### 8.2.2. Personal protection equipment

#### Personal protective equipment:

Avoid all unnecessary exposure. Protective clothing. Safety glasses. Gloves.

## Personal protective equipment symbol(s):









# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### 8.2.2.1. Eye and face protection

#### Eye protection:

Chemical goggles or safety glasses. Use eye protection according to EN 166.

#### 8.2.2.2. Skin protection

#### Hand protection:

Wear protective gloves.

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
	Nitrile rubber (NBR)	1 (> 10 minutes)	>0.4		EN ISO 374

#### Other skin protection

#### Materials for protective clothing:

Wear protective clothing

#### 8.2.2.3. Respiratory protection

#### Respiratory protection:

No respiratory protection needed under normal use conditions

#### 8.2.2.4. Thermal hazards

No additional information available

#### 8.2.3. Environmental exposure controls

#### Other information:

Do not eat, drink or smoke during use. No additional information available

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state Solid

Colour white. red. Grey.

Appearance Pasty.

Molecular mass Not determined Odour characteristic.

Odour threshold Not determined Melting point Not applicable Freezing point Not available Boiling point Not available

Flammability Not applicable, Non flammable.

Viscosity, kinematic

Solubility

Partition coefficient n-octanol/water (Log Kow)

Vapour pressure

Vapour pressure at 50°C

Density

Not available

Not available

Not available

Not available

1.28 kg/l



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Relative density Not available Relative vapour density at 20°C Not applicable Particle size Not available Particle size distribution Not available Not available Particle shape Particle aspect ratio Not available Particle specific surface area Not available Particle dustiness Not available

#### 9.2. Other information

# 9.2.1. Information with regard to physical hazard classes

No additional information available

#### 9.2.2. Other safety characteristics

VOC content

7.9 g/l ASTM D 2369 - 20, SCAQMD 1113 / fire-proofing coating (llimit 150g/L)

# **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

#### 10.2. Chemical stability

Stable under normal conditions. Not established.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Not established.

## 10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7). Direct sunlight. Extremely high or low temperatures.

# 10.5. Incompatible materials

Strong acids. Strong bases.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced. fume. Carbon monoxide. Carbon dioxide.

# **SECTION 11: Toxicological information**

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral)

Acute toxicity (dermal)

Acute toxicity (inhalation)

Not classified

Not classified

aluminium hydroxide (21645-51-2)			
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Experimental value, Oral, 14 day(s))		
LC50 Inhalation - Rat	> 2.3 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Read-across, Inhalation (aerosol), 14 day(s))		
2-octyl-2H-isothiazol-3-one (26530-20-1)			
LD50 oral rat	550 mg/kg (Rat, Literature study, Oral)		
LD50 oral	355 mg/kg		
LD50 dermal rabbit	690 mg/kg bodyweight (Rabbit, Literature study, Dermal)		
LD50 dermal	311 mg/kg		



# Safety Data Sheet

2-octyl-2H-isothiazol-3-one (26530-20-1)			
LC50 Inhalation - Rat	> 2 mg/m³ (4 h, Rat, Literature study, Inhalation (vapours))		
LC50 Inhalation - Rat (Dust/Mist)	0.586 mg/l/4h		
pyrithione zinc (13463-41-7)			
LD50 oral rat	177 mg/kg (Rat; OECD 401: Acute Oral Toxicity; Literature study; 269 mg/kg bodyweight; Rat; Experimental value)		
LD50 dermal rat	> 2000 mg/kg (Rat; Experimental value)		
LC50 Inhalation - Rat	1 mg/l/4h (Rat; Literature study)		
hexaboron dizinc undecaoxide, heptahydrate (1382	265-88-0)		
LD50 oral rat	> 5000 mg/kg bodyweight (FIFRA (40 CFR), Rat, Male / female, Experimental value of similar product, Oral, 14 day(s))		
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Male / female, Experimental value of similar product, Dermal, 14 day(s))		
LC50 Inhalation - Rat	> 4.95 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Readacross, Inhalation (dust), 14 day(s))		
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one at	nd 2-methylisothiazol-3(2H)-one (55965-84-9)		
LD50 oral rat	66 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value, Calculated by reference to active substance, Oral, 14 day(s))		
LD50 dermal rat	> 141 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))		
LC50 Inhalation - Rat	0.17 mg/l air (OECD 403: Acute Inhalation Toxicity, 4 h, Rat, Male / female, Experimental value, Calculated by reference to active substance, Inhalation (dust), 14 day(s))		
1,2-Benzisothiazol-3(2H)-on (2634-33-5)			
LD50 oral rat	490 mg/kg bodyweight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))		
LD50 oral	670 mg/kg		
LD50 dermal rat	> 2000 mg/kg bodyweight (OECD 402: Acute Dermal Toxicity, 24 h, Rat, Male / female, Experimental value, Dermal, 14 day(s))		
LD50 dermal	2500 mg/kg		
Ammonia, aqueous solution (25%) (1336-21-6)			
LD50 oral rat	> 5000 mg/kg		
LD50 dermal rabbit	> 5000 mg/kg		
Skin corrosion/irritation	Not classified		
Additional information	pH: ≈ 8.6 Based on available data, the classification criteria are not met		
Serious eye damage/irritation	Not classified		
	pH: ≈ 8.6		
Additional information	Based on available data, the classification criteria are not met		
Respiratory or skin sensitisation	Skin sensitization: Not classified.		
Additional information	Based on available data, the classification criteria are not met		
Germ cell mutagenicity Additional information	Not classified  Based on available data, the classification criteria are not met		
Carcinogenicity	Not classified		
Additional information	Based on available data, the classification criteria are not met		



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Reproductive toxicity Not classified

Additional information Based on available data, the classification criteria are not met

STOT-single exposure Not classified

Additional information Based on available data, the classification criteria are not met

Ammonia, aqueous solution (25%) (1336-21-6)			
STOT-single exposure	May cause respiratory irritation.		
STOT-repeated exposure	Not classified		
Additional information	Based on available data, the classification criteria are not met		
pyrithione zinc (13463-41-7)			
STOT-repeated exposure	Causes damage to organs through prolonged or repeated exposure.		
Aspiration hazard	Not classified		
Additional information	Based on available data, the classification criteria are not met		

# 11.2. Information on other hazards

#### 11.2.1. Endocrine disrupting properties

#### 11.2.2. Other information

Potential adverse human health effects and

symptoms

Based on available data, the classification criteria are not met

# **SECTION 12: Ecological information**

# 12.1. Toxicity

Ecology - general Harmful to aquatic life with long lasting effects. Not classified

Hazardous to the aquatic environment, short-term

(acute)

Harmful to aquatic life with long lasting effects.

Hazardous to the aquatic environment, long-term

(chronic)				
aluminium hydroxide (21645-51-2)				
LC50 - Fish [1]	> 218 mg/l (US EPA, 96 h, Pimephales promelas, Semi-static system, Fresh water, Experimental value of similar product, Aluminium)			
2-octyl-2H-isothiazol-3-one (26530-20-1)				
LC50 - Fish [1]	0.14 mg/l (96 h, Pimephales promelas, Literature study)			
LC50 - Fish [2]	0.05 mg/l (96 h, Oncorhynchus mykiss, Literature study)			
EC50 - Crustacea [1]	0.18 mg/l (48 h, Daphnia magna, Literature study)			
EC50 - Crustacea [2]	0.32 mg/l (48 h, Daphnia magna, Literature study)			
NOEC chronic fish	0.012 mg/l			
pyrithione zinc (13463-41-7)				
LC50 - Fish [1]	2.6 μg/l (96 h; Pimephales promelas; GLP)			
LC50 - Fish [2]	0.4 mg/l (96 h; Cyprinodon variegatus; GLP)			
EC50 - Crustacea [1]	0.05 mg/l (48 h; Daphnia magna; GLP)			
EC50 - Crustacea [2]	8.2 μg/l (96 h; Daphnia magna; GLP)			
EC50 96h - Algae [1]	1.3 μg/l (EPA OPP 122-2, Skeletonema costatum, Static system, Fresh water, Experimental value, GLP)			
Threshold limit - Algae [1]	0.067 mg/l (Selenastrum capricornutum)			



# Safety Data Sheet

pyrithione zinc (13463-41-7)		
Threshold limit - Algae [2]	2.4 μg/l (120 h; GLP)	
hexaboron dizinc undecaoxide, heptahydrate (138	265-88-0)	
LC50 - Fish [1]	169 μg/l (ASTM E729-88, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Readacross)	
EC50 - Crustacea [1]	155 – 413 μg/l (US EPA, 48 h, Ceriodaphnia dubia, Static system, Fresh water, Readacross)	
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one a	nd 2-methylisothiazol-3(2H)-one (55965-84-9)	
LC50 - Fish [1]	0.19 mg/l (EPA OPP 72-1, 96 h, Oncorhynchus mykiss, Flow-through system, Fresh water, Experimental value, GLP)	
EC50 - Crustacea [1]	0.007 mg/l (48 h, Acartia tonsa, Salt water, Experimental value, GLP)	
ErC50 algae	19.9 μg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Skeletonema costatum, Static system, Salt water, Experimental value, GLP)	
1,2-Benzisothiazol-3(2H)-on (2634-33-5)		
LC50 - Fish [1]	2.18 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Experimental value, Nominal concentration)	
EC50 - Crustacea [1]	0.99 mg/l	
ErC50 algae	150 μg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Experimental value, GLP)	
Ammonia, aqueous solution (25%) (1336-21-6)		
LC50 - Fish [1]	> 1000 mg/l (Oncorhynchus mykiss (Regenbogenforelle); 96 h)	
EC50 - Crustacea [1]	> 1000 mg/l (Daphnia magna (Großer Wasserfloh); 48 h)	
NOEC chronic crustacea	7.1 mg/l	
12.2. Persistence and degradability		

CFS-SP WB			
Persistence and degradability	Not established.		
aluminium hydroxide (21645-51-2)			
Persistence and degradability	Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable (inorganic)		
ThOD	Not applicable (inorganic)		
2-octyl-2H-isothiazol-3-one (26530-20-1)			
Persistence and degradability	Inherently biodegradable.		
pyrithione zinc (13463-41-7)			
Persistence and degradability	Biodegradable in water. No (test)data on mobility of the substance available.		
hexaboron dizinc undecaoxide, heptahydrate (138265-88-0)			
Persistence and degradability	Biodegradability: not applicable.		
Chemical oxygen demand (COD)	Not applicable		
ThOD	Not applicable		
BOD (% of ThOD)	Not applicable		



# Safety Data Sheet

Mixture of 5-chloro-2-methylisothiazol-3(2H)-one ar	nd 2-methylisothiazol-3(2H)-one (55965-84-9)		
Persistence and degradability	Not readily biodegradable in water.		
1,2-Benzisothiazol-3(2H)-on (2634-33-5)			
Persistence and degradability	Not readily biodegradable in water.		
Ammonia, aqueous solution (25%) (1336-21-6)			
Persistence and degradability	Biodegradable in the soil. Contains readily biodegradable component(s).		
12.3. Bioaccumulative potential			
CFS-SP WB			
Bioaccumulative potential	Not established.		
aluminium hydroxide (21645-51-2)			
Bioaccumulative potential	Not bioaccumulative.		
2-octyl-2H-isothiazol-3-one (26530-20-1)			
BCF - Fish [1]	1280 (67 day(s), Lepomis macrochirus, Flow-through system, Literature study)		
Partition coefficient n-octanol/water (Log Pow)	2.45 (Experimental value)		
Bioaccumulative potential	Potential for bioaccumulation (500 ≤ BCF ≤ 5000).		
pyrithione zinc (13463-41-7)			
BCF - Other aquatic organisms [1]	7.87 – 11 (30 days; Crassostrea sp.)		
Partition coefficient n-octanol/water (Log Pow)	0.9 (Experimental value; OECD 107: Partition Coefficient (n-octanol/water): Shake Flask Method; 25 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).		
hexaboron dizinc undecaoxide, heptahydrate (1382	265-88-0)		
BCF - Fish [1]	116 – 60960 (21 day(s), Semi-static system, Marine water, Read-across, Fresh weight)		
Bioaccumulative potential	High potential for bioaccumulation (BCF > 5000).		
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one ar	nd 2-methylisothiazol-3(2H)-one (55965-84-9)		
BCF - Fish [1]	41 – 54 (OECD 305: Bioconcentration: Flow-Through Fish Test, 28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value, Fresh weight)		
Partition coefficient n-octanol/water (Log Pow)	-0.32 – 0.7 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 20 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).		
1,2-Benzisothiazol-3(2H)-on (2634-33-5)			
BCF - Fish [1]	6.62 (Equivalent or similar to OECD 305, 56 day(s), Lepomis macrochirus, Experimental value, Fresh weight)		
Partition coefficient n-octanol/water (Log Pow)	-0.9 – 0.99 (Experimental value, EU Method A.8: Partition Coefficient, 20 °C)		
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).		
A			
Ammonia, aqueous solution (25%) (1336-21-6)			



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

40	4 8	A - L	. : 1 : 4	:	: 1
12.	4. N	nor	HIIC	v in	soil

aluminium hydroxide (21645-51-2)				
Ecology - soil	No (test)data on mobility of the substance available.			
2-octyl-2H-isothiazol-3-one (26530-20-1)				
Ecology - soil	No (test)data on mobility of the substance available.			
pyrithione zinc (13463-41-7)				
Surface tension	0.073 N/m (20 °C; 7220 μg/l)			
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.295 (log Koc, SRC PCKOCWIN v2.0, Calculated value)			
Ecology - soil	Low potential for mobility in soil.			
hexaboron dizinc undecaoxide, heptahydrate (1382	265-88-0)			
Surface tension	Data waiving			
Ecology - soil	Adsorbs into the soil.			
Mixture of 5-chloro-2-methylisothiazol-3(2H)-one at	nd 2-methylisothiazol-3(2H)-one (55965-84-9)			
Surface tension	No data available in the literature			
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.81 – 1 (log Koc, Calculated value)			
Ecology - soil	Highly mobile in soil.			
1,2-Benzisothiazol-3(2H)-on (2634-33-5)				
Surface tension	72.6 mN/m (20 °C, 0.1 %, EU Method A.5: Surface tension)			
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	0.97 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value, GLP)			
Ecology - soil	Highly mobile in soil.			
Ammonia, aqueous solution (25%) (1336-21-6)				
Surface tension	No data available in the literature			
Ecology - soil	No (test)data on mobility of the component(s) available.			

## 12.5. Results of PBT and vPvB assessment

No additional information available

## 12.6. Endocrine disrupting properties

No additional information available

## 12.7. Other adverse effects

Additional information

Avoid release to the environment.

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Waste treatment methods Product/Packaging disposal recommendations

Ecological waste information

European List of Waste (LoW, EC 2000/532)

Dispose in a safe manner in accordance with local/national regulations. Dispose in a safe manner in accordance with local/national regulations.

Avoid release to the environment.

08 04 10 - waste adhesives and sealants other than those mentioned in 08 04 09



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

# **SECTION 14: Transport information**

In accordance with ADR / IMDG / IATA / RID /

ADR IMDG		IATA	RID
14.1. UN number or ID number			
Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name			
Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)			
Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group			
Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards			
Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available			

#### 14.6. Special precautions for user

#### **Overland transport**

Not applicable

#### Transport by sea

Not applicable

#### Air transport

Not applicable

#### Rail transport

Not applicable

# 14.7. Maritime transport in bulk according to IMO instruments

Not applicable

# SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# 15.1.1. EU-Regulations

### **REACH Annex XVII (Restriction List)**

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

#### **REACH Annex XIV (Authorisation List)**

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

#### **REACH Candidate List (SVHC)**

Contains substance(s) listed on the REACH Candidate List < 0.1% or SCL.

## PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

#### **POP Regulation (Persistent Organic Pollutants)**

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

#### Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 2024/590 on substances that deplete the ozone layer)

#### VOC Directive (2004/42)

VOC content

7.9 g/l ASTM D 2369 - 20, SCAQMD 1113 / fire-proofing coating (Ilimit 150g/L)

#### Explosives Precursors Regulation (EU 2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

#### Drug Precursors Regulation (EC 273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

#### 15.1.2. National regulations

#### Switzerland

Swiss CPID No

360673-17

### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out

# **SECTION 16: Other information**

Indication of changes			
Section	Changed item	Change	Comments
			General update
1.4	Emergency number	Modified	

Data sources

REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.

Other information

None.

Full text of H- and EUH-s	Full text of H- and EUH-statements:		
Acute Tox. 2 (Dermal)	Acute toxicity (dermal), Category 2		
Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2		
Acute Tox. 2 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 2		
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3		
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4		
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1		
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1		
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2		
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3		
Eye Dam. 1	Serious eye damage/eye irritation, Category 1		



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-	statements:	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
Repr. 1B	Reproductive toxicity, Category 1B	
Repr. 2	Reproductive toxicity, Category 2	
Skin Corr. 1	Skin corrosion/irritation, Category 1	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Corr. 1C	Skin corrosion/irritation, Category 1, Sub-Category 1C	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
Skin Sens. 1A	Skin sensitisation, category 1A	
STOT RE 1	Specific target organ toxicity – Repeated exposure, Category 1	
STOT SE 3	Specific target organ toxicity – Single exposure, Category 3, Respiratory tract irritation	
H301	Toxic if swallowed.	
H302	Harmful if swallowed.	
H310	Fatal in contact with skin.	
H311	Toxic in contact with skin.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H330	Fatal if inhaled.	
H335	May cause respiratory irritation.	
H360D	May damage the unborn child.	
H361d	Suspected of damaging the unborn child.	
H372	Causes damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H411	Toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
EUH071	Corrosive to the respiratory tract.	
EUH208	Contains 2-octyl-2H-isothiazol-3-one, Mixture of 5-chloro-2-methylisothiazol-3(2H)-one and 2-methylisothiazol-3(2H)-one, 1,2-Benzisothiazol-3(2H)-on. May produce an allergic reaction.	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:			
Aquatic Chronic 3	H412	Calculation method	

SDS\_EU\_Hilti



# Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.